



Wire Mesh Containers

- These self cleaning see through wire mesh containers are stackable and totally collapsible
- Occupies about 1/4th space in collapsed condition
- Gap provided at the bottom for forklift or pallet truck entry



Wire Mesh Containers

Model Number	Ext. Dimensions	Int. Dimensions	Wire diameter	Mesh Pitch
SEL-WM-001	1000L X 800W X 840mm X ht 40"L X 32"W X 33"ht	960L x 760W x 700mm ht	6.4 mm	50 X 50
SEL-WM-002	1000L X 800W X 840mm X ht 40"L X 32"W X 33"ht	960L x 760W x 700mm ht	6.4 mm	50 X 100
SEL-WM-003	1000L X 800W X 500mm X ht 40"L X 32"W X 20"ht	960L x 760W x 360mm ht	6.0 mm	50 X 50
SEL-WM-004	1200L X 1000W X 890mm X ht 48"L X 40"W X 35"ht	1160L x 960W x 750mm ht	6.0 mm	50 X 50
SEL-WM-005	1200L X 1000W X 890mm X ht 48"L X 40"W X 35"ht	1160L x 960W x 750mm ht	6.4 mm	50 X 100
SEL-WM-006	800L X 600W X 640mm X ht 32"L X 20"W X 22"ht	760L x 560W x 500mm ht	6.4 mm	50 X 50
SEL-WM-007	1200L X 1000W X 890mm X ht 48"L X 40"W X 35"ht	760L x 460W x 400mm ht	5.0 mm	25 X 50

Collapsible Bin



Collapsible Bin

- Four way entry for forklift or hand pallet truck
- Saves space when not in use as it is collapsible to 1/3rd original height
- Stackable in collapsed condition upto 10 high
- Stackable in loaded condition upto 2 high
- Can be used as returnable dunnage
- Ideal for transporting material as it saves transport cost while returning empty
- Any practical size can be customized as per customer need & specification

Model Number	Width (mm)	Depth (mm)	Height (mm)	Ground Clearance (mm)
SEL - FCB - 800	800	800	400	100
SEL - FCB - 1000	1000	1000	500	100
SEL -FCB - 1200	1200	1200	600	100





Fixed side Bins



Corrugated Steel Box

- Standard load capacity of 500 Kg to 2000 Kg per unit, stacked upto 5 high
- Two/Four way entry for forklift or hand pallet truck
- Side walls can be made of sheet or wire mesh as per your requirement
- Powder coat or spray pain finish available
- Drop open door on one side which helps access to the stored items even in stacked condition
- Any practical size can be customized as per customer need and specification



Cage Bin



Half drop bins

Product	Model Number	Length (mm)	Depth (mm)	Height (mm)	Ground Clearance (mm)
Corrugated Steel Box	SEL - CSB - 800	800	800	400	100
	SEL - CSB - 1000	1000	1000	500	100
	SEL - CSB - 1200	1200	1200	600	100
Cage Bin	SEL - CB - 800	800	800	600	150
	SEL - CB - 1000	1000	1000	600	150
	SEL - CB - 1200	1200	1200	600	150

Retention cages



Retention cages

- Stackable retention cages /pallet collars help in saving space as they can be stacked
- Wire used to make this pallet is of a special grade with high tensile strength
- Final finish of these pallets is Zinc Plating which is high corrosion resistant
- Retention cages made of wire mesh for wooden pallets and plastic pallets is also available

Model Number	Type	Length (mm)	Depth (mm)	Height (mm)
SEL-MRC-01	Wooden pallet	1200	800	800
SEL-MRC-02	Steel pallet	1200	800	800





Single Deck Pallet




Single Deck Pallet

- Can be used on one side
- Two / Four way entry for the forklift and stackers
- Load carrying capacities from 500 kg to 3000 kg
- Compatible with all types of material handling equipment
- These pallets are also called as Non-Reversible Type Pallets

Model Number	Length (mm)	Depth (mm)	Height (mm)
SEL - DFP - 800	800	800	125
SEL - DFP - 1000	1000	1000	125
SEL - DFP - 1200	1200	1200	125

Double Deck Pallet



Double Deck Pallet

- Can be used on either side
- Two / Four way entry for the forklift and stackers
- Load carrying capacities from 500 kg to 4000 kg
- Compatible with all types of material handling equipment
- These pallets are also called as 'Reversible type pallet'.

Model Number	Length (mm)	Depth (mm)	Height (mm)	X	Y
SEL-DFP-800	800	800	125	350	-
SEL-DFP-1000	1000	1000	125	500	-
SEL-DFP-1200	1200	1200	125	600	-
SEL-DFP-800-FWE	800	800	125	287.5	75
SEL-DFP-1000-FWE	1000	1000	125	350	100
SEL-DFP-1200-FWE	1200	1200	125	450	100

Post/Stillages



Post/Stillages

- 2 Types of Post Stillages are available - Fixed Posts & Detachable Posts
- Can take standard Eurosize pallets upto 1200 mm
- Four way entry and capacity of 1000 Kg
- Welded construction from 40 mm square tube
- Size - 1300 internal width X 900 mm support depth or customised according to your requirements

Fixed Post	Model Number Semountable Post	Effective Post height (mm)
SEL - FP - 01	SEL - DEP - 01	1000
SEL - FP - 02	SEL - DEP - 02	1250
SEL - FP - 03	SEL - DEP - 03	1500





Cylinder trolleys



Single Cylinder trolley



Double Cylinder trolley



Cone trolley

Roll Cage



Foldable Roll Cage



Demountable Roll Cage



Nestable Roll Cage

- 3 Types of roll cages are available - Nestable Roll Cage, Foldable Roll Cage & Demountable Roll Cage
- Efficient material handling tool as it helps in transporting goods from one place to another and reduces manual handling required in the supply chain
- Eliminate the need of any additional handling equipment like forklifts
- Nestable & Foldable roll cage containers can be stacked to save space
- The metal mesh construction makes roll cage containers durable and sturdy





Removable Post Steel Pallet

Size	1820×1270×1680 mm
Colour	Customized
Loading Capacity	1200 kg
Material	Metal
Surface Treatment	Powder coating
Usage	Exhibition, Showroom, Chain-store, Shop promotion
OEM	Acceptable



Truck Tyre Storage Rack

Collapsible/stackable heavy duty pallet

Size	2185 ×1220×1420 mm
Colour	Customized
Loading Capacity	1200 kg
Material	High quality metal
Surface Treatment	Powder coating
Usage	Exhibition, Showroom, Chain-store, Shop promotion
OEM	Acceptable






Tyre Storage Rack Pallet

Size	2285 x1386x1680 mm
Colour	Customized
Loading Capacity	1500 kg
Material	High quality metal
Surface Treatment	Powder coating
Usage	Exhibition, Showroom, Chain-store
OEM	Acceptable




Tyre Display Trolley

Size	1300x500x1800 mm
Colour	Customized
Loading Capacity	300 kg
Material	Metal
Surface Treatment	Powder coating
Usage	Exhibition, Showroom, Chain-store, Shop promotion
OEM	Acceptable



Contact Us:
D-12, Site-1, Panki Industrial Estate, Kanpur, Uttar Pradesh - 208022, India
Website : www.steelpallet.in | www.selindia.com
Email : info@steelpallet.in | info@selindia.com
Phone : +91 512 2691194-7, 3291308
Fax : +91 512 2691194-7 (Ext : 33)
Mobile : +91 9336477401/3/8